

Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique
morphologique et moléculaire*



Volume 5
Numéro 5

JUILLET 2017

ISSN : 2269 - 6016
Dépôt légal : Juillet 2017

Faunitaxys

*Revue de Faunistique, Taxonomie et Systématique
morphologique et moléculaire*

ZooBank : <http://zoobank.org/79A36B2E-F645-4F9A-AE2B-ED32CE6771CC>

Directeur de la publication, rédacteur, conception graphique et PAO:

Lionel Delaunay

Cette revue ne peut pas être vendue

Elle est distribuée par échange aux institutions (version papier)
et sur simple demande aux particuliers (format PDF)
à l'adresse suivante:

AFCFF
28, rue Voltaire, F- 42100 Saint Etienne
E-mail: lionel.delaunay@free.fr

Elle est disponible librement au téléchargement à partir du site:

<http://faunitaxys.fr/>

La parution de *Faunitaxys* est apériodique

Impression
SARL SPEED COPIE, 6, rue Tréfilerie, F- 42100 Saint-Etienne
speedcopie@wanadoo.fr

Imprimé le 29 juillet 2017

***Pyrops silighinii* n. sp., a new Fulgoridae from Philippines (Hemiptera: Fulgoromorpha)**

THIERRY PORION (1) & CÉDRIC AUDIBERT (2)

(1) Les Plots, F-07380 Jaujac, France - tporion@orange.fr

- ZooBank : <http://zoobank.org/82033BB7-D5B1-4815-8393-B714973EA23D>

(2) Musée des Confluences, Centre de Conservation et d'Étude des Collections, 13 A, rue Bancel, F-69007 Lyon, France - cedric.audibert@museedesconfluences.fr

- ZooBank : <http://zoobank.org/AD3E3364-FC68-4CF8-AB14-B0D674D6BAC1>

Keywords:

Hemiptera ; *Pyrops* ;
 Fulgoromorpha ; Mindanao ;
 Fulgoridae ; Philippines ;
 Fulgorinae ; taxonomy ;
 Laternarini ; new species.

Abstract. – A new Fulgoridae, *Pyrops silighinii* n. sp., collected in Mindanao (Philippines) is described and illustrated.

Porion T. & Audibert C., 2017. – *Pyrops silighinii* n. sp., a new Fulgoridae from Philippines (Hemiptera: Fulgoromorpha). *Faunitaxys*, 5(5): 1 – 4.

ZooBank : <http://zoobank.org/03BE66BA-494C-416F-A211-45861AC4AD0E>

Introduction

More than 7,500 islands belong to the archipelago of Philippines, and many entomologically unexplored places still remain, particularly in Palawan and the southern Mindanao island; we recently described the new *Pyrops priscilliae* (Porion & al., 2016) from Mindoro island and another *Pyrops nishiguroi* (Nagai & al., 2017) from Palawan, bringing to eleven the number of species belonging to the genus in this country. This paper deal with another new species from Mindanao, occurring in the extreme south of this island.

Abbreviations

MHNL: Centre de conservation et d'étude des collections du Musée des Confluences, Lyon (collection Porion).

Taxonomy

Pyrops silighinii n. sp.

(Fig. 3 & 4)

ZooBank : <http://zoobank.org/40D1284E-7DD5-46A3-8D1F-3A2642AD7483>

Material examined

Holotype ♂: Philippines, Mindanao, Sarangani, Kiamba, X 2016, local collector (MHNL).

Description.

Size. – Female, wingspan: 63 mm; body length: 29 mm (incl. head process).

Head. – Ochraceous, darker around the eyes. Basal half of head process ochraceous, the distal half green. It is thick and short,

claviform, regularly bent up and dilated at the apex. Three lateral carina, longitudinally parallel, converge to the apex on each side, another slighter medium longitudinal carina can be seen on ventral side, in apical half only.

Head length: 10,5 mm (incl. head process).

Thorax. – *Pronotum* ochraceous, slightly greenish. Central carina and one lateral carina on each side, are all indistinct. *Mesonotum* ochraceous with two lateral brown spot. A large and thick central carina with two thin carina on each side.

Forewings. – Main colour ochre; in the two thirds of surface from base most interveins areas are red, giving the area a reddish colour while the apex area is just ochre with a few small clear ivory rounded spots.

Hindwings. – About half the surface from base has a ground blue/green, actually turquoise colour; in this turquoise area most of the interveins areas are filled with the same kind of red present on the elytras, actually a red wine colour; the outside area, about half of the surface of the hindwing, from apex to anal, or abdominal, area is black.

Legs. – Ochraceous, same colour as tarsa.

Abdomen. – Black, no waxes can be noticed on this specimen.

Derivatio nominis. – Named in honor of Dr. Gilles Silighini, a great entomologist and Fulgoridae enthusiast.

Distribution. – One single specimen is known; collected in Kiamba village, Sarangani province SOCCSKARGEN region, on the extreme south of the very large Mindanao Island (Fig. 5).

Differential diagnosis. – Totally unmistakable. The only similar species present in the Philippines is *Pyrops polillensis* (Baker, 1925), known from Luzon island, long way north; it has a quite similar head process, large and short, but differs by very different colours and patterns (Fig. 1 & 2). A few other species could be compared, as *Pyrops watanabei* (Matsumura, 1913) that has a ball shaped claval head process too, but

completely different colours and is an endemic of Taiwan, or *Pyrops whiteheadi* (Distant, 1889), *Pyrops effusus* (Distant, 1891) and *P. effusus gunjii* (Satô & Nagai, 1994) with a similar head process too, but very different wings, with a much smaller blue colored area on the hindwings (cf. Nagai & Porion, 1996) and belongs to the Borneo fauna only.

Bibliography

Nagai S. & Porion T., 1996. – Fulgoridae 2 : Catalogue illustré des

faunes asiatique et australienne. Sciences Nat, Compiègne, 80 p.
Porion T., Audibert C. & Nagai S., 2016. – *Pyrops priscilliae* n. sp., a new Fulgoridae from Philippines (Hemiptera: Fulgoromorpha). Faunitaxys, 4(3): 1-9.

Nagai S., Porion T. & Audibert C., 2017. - *Pyrops nishiguroi* n. sp., a new Fulgoridae from Philippines, with some notes on the *Pyrops oculatus* group (Hemiptera: Fulgoromorpha). Faunitaxys, 5(1): 1-8.

Résumé

Porion T. & Audibert C., 2017. – *Pyrops silighinii* **n. sp.**, un nouveau Fulgoridae des Philippines (Hemiptera : Fulgoromorpha). Faunitaxys, 5(5) : 1 – 4.

Un nouveau Fulgoridae, *Pyrops silighinii* **n. sp.**, collecté à Mindanao (Philippines), est décrit et illustré.

Mots-clés. – Hemiptera, Fulgoromorpha, Fulgoridae, Fulgorinae, Laternarini, *Pyrops*, Mindanao, Philippines, taxonomie, espèce nouvelle.



Fig. 1-2. - *Pyrops polillensis* (Baker, 1925), Philippines, Nord Luzon, Quirinon, VIII/2008 (coll. Porion, MHNL).
- 1: Habitus. - 2: Head process.



Fig. 3-4. - *Pyrops silighinii* n. sp., holotype ♀, Mindanao, Philippines (MHNL).
- 3: Habitus. - 4: Head process.




Fig. 5. - Mindanao, Philippines.

● : *Pyrops silighinii* n. sp.



Fig. 6. - Banaue rice terraces (N. Luzon, Philippines) taken from observation point at beginning of road to Bontoc (File imported from Wikivoyage WTS).

Faunitaxys est échangée avec les revues suivantes (« print versions ») :

- Annali del Museo Civico di Storia Naturale G. Doria (Italie)
- Boletín de la Asociación española de Entomología (Espagne)
- Boletín de la Sociedad Andaluza de Entomología (Espagne)
- Bollettino del Museo di Storia Naturale di Venezia (Italie)
- Bulletin de la Société linnéenne de Lyon (France)
- Bulletin of Insectology (Italie)
- Heteropterus Rev. Entomol. (Espagne)
- Israel Journal of Entomology (Israel)
- Klapalekiana (République Tchèque)
- Koleopterologische Rundschau (Allemagne)
- Memorie del Museo Civico di Storia Naturale di Verona (Italie)
- Proceedings of the Entomological Society of Washington (USA)
- Revue suisse de Zoologie (Suisse)
- Spixiana (Allemagne)
- Stuttgarter Beiträge zur Naturkunde A, Biologie (Allemagne)
- Zoosystematica Rossica (Russie)

Recommandations aux auteurs

– les textes et les illustrations doivent être transmis en pièces jointes d'un courriel à:

lionel.delaunay@free.fr

- les articles doivent être soumis sous leur forme définitive, en **traitement de texte** (MAC ou PC), police «Times New Roman».
- la **présentation générale** du texte doit être conforme à celle des derniers articles parus dans la revue.
- ils peuvent être écrits en **français, anglais, allemand, espagnol ou italien**.
- s'ils contiennent des **descriptions**, elles devront suivre scrupuleusement les règles du “*Code international de nomenclature zoologique*“.
- quelle que soit la langue utilisée, il est impératif de fournir un **résumé** en français et en anglais.
- les **illustrations** ne doivent pas être incluses dans le texte, mais fournies dans des fichiers à part.
- la liste complète des **légendes** doit être fournie en fin de manuscrit.
- les **opinions** émises n'engagent que la responsabilité de leurs auteurs.
- les **tirés à part** sont fournis sous forme papier (10 exemplaires offerts, les suivants à la charge de l'auteur, au tarif imprimeur) et sous forme électronique au format PDF.

Faunitaxys

Volume 5, Numéro 5, Juillet 2017

SOMMAIRE

Pyrops silighinii n. sp., un nouveau Fulgoridae des Philippines (Hemiptera: Fulgoromorpha).
Thierry Porion & Cédric Audibert 1 – 4

CONTENTS

Pyrops silighinii n. sp., a new Fulgoridae from Philippines (Hemiptera: Fulgoromorpha).
Thierry Porion & Cédric Audibert 1 – 4

Illustration de la couverture: the Batad village (Banaue, Philippines).

Crédit:

Fig. 1 - 4 : © Thierry Porion.
Couverture & Fig. 6 : Free files imported from Wikivoyage WTS.